



## FINGERPRINT TIME ATTENDANCE AND ACCESS CONTROL SYSTEM Security & Protection

# ZKS-T25



- ✿ It adopts advanced North Korean algorithm which is a most mature and stable biometric fingerprint algorithm nowadays
- ✿ Fingerprint,password,card,fingerprint+password and fingerprint+card for high security and precision
- ✿ RS232,RS485, TCP/IP and USB communication
- ✿ Embedded Proximity or Mifare card reader, backup battery
- ✿ Menu language: English,French,Spanish,Czech,Indonesian,Portuguese,Turkish and so on
- ✿ 3,000 fingerprint templates,everybody can register 3 fingers



# FINGERPRINT TIME ATTENDANCE AND ACCESS CONTROL SYSTEM

Security & Protection

# ZKS-T25

## Standalone

For Demo only




## TCP/IP Environment

For Demo only



## Door Access Control

For Demo only





## FINGERPRINT TIME ATTENDANCE AND ACCESS CONTROL SYSTEM

Security & Protection

# ZKS-T25

T25 is an innovative stand-alone fingerprint recorder that can be used in both Time Attendance and Access Control applications. It can be used for door access control and as a fingerprint terminal for attendance management system and other software applications. The robust design and highly reliable performance are results of many years of research efforts and extensive testing. It is suitable for Office/ Building / Factory /Hotel / Hospital/ Bank / Defense / School.

### Parameters

| Item                           | Description  |
|--------------------------------|--|
| User capacity                  | 3, 000   |
| Transaction Storage:           | 80, 000  |
| Period of data:                | Keep data for 3 years when no current                                    |
| Collecting rate                | Port rate(9600BPS, 19200BPS, 38400BPS)                                   |
| Verification mode:             | 1: N, 1:1  |
| FAR                            | <0. 0001%  |
| FRR                            | <0. 01%  |
| Response time                  | <0. 7 second   |
| Communication                  | RS232/RS485, TCP/IP, USB   |
| Alarm clock                    | Embedded alarm clock   |
| External functions             | Connect Electronic lock(Access Control), Electronic bell                 |
| The capacity of connecting net | 31 units (RS485 mode), 255 units (TCP/IP)                                |
| Distance                       | 1200m (RS485)  |
| Show                           | Time, ID number, Name  |
| Language                       | English, French, Spanish, Czech, Indonesian, Portuguese and Turkish etc. |
| Working mode                   | Time & attendance, standalone, can working persistently                  |
| Time & Attendance mode         | Fingerprint, password, card, fingerprint + password, fingerprint + card  |
| Save function                  | Turn off device automatically for saving                                 |
| Size                           | 186*130*58 mm  |
| Power supply                   | DC9V, 1A (AC 100V to 240 V, 50 to 60 Hz )                                |
| Warranty of period             | 24 months  |
| Temperature and humidity       | 0 - 45, 20%-80%  |
| High settings                  | Proximity or Mifare card reader, backup battery and USB                  |
| Applications                   | Office/factory/bank/hotel/school etc.                                    |



CE FC



**Send Message 15 800 6000 15**

If you using a mobile phone or dialing from  
Dubai, Macau, Istanbul or areas outside China,  
please call: (86-21) 6767 9389

[www.zksgroup.com](http://www.zksgroup.com)

[www.zksgroup.com.br](http://www.zksgroup.com.br)

[www.zksgroup.es](http://www.zksgroup.es)

[www.zksgroup.co.uk](http://www.zksgroup.co.uk)

[www.zksgroup.in](http://www.zksgroup.in)

[www.zksgroup.com.ar](http://www.zksgroup.com.ar)

[www.zksgroup.fr](http://www.zksgroup.fr)

[www.zksgroup.com.au](http://www.zksgroup.com.au)

[www.zksgroup.com.mx](http://www.zksgroup.com.mx)

[www.zksgroup.ae](http://www.zksgroup.ae)

[www.zksgroup.de](http://www.zksgroup.de)