



RFID CAMERA TIME ATTENDANCE AND ACCESS CONTROL SYSTEM Security & Protection

ZKS-T4



- It is The Multimedia Time&Attendance and Access Control Identification Terminal which adopts advanced North Korean algorithm nowadays
- Card, password, card+password and taking pictures by camera+card for high security and precision
- RS232,RS485, TCP/IP, ADSL, Weigand26 and USB communication
- Embedded Proximity or Mifare card reader and Camera with simple IP Camera function
- Menu language: English, French, Spanish, Czech, Indonesian, Portuguese, Turkish and so on
- Upload data to Server automatically once wipe card
- TFT 8 inches LCD for enjoying, Slided notice, advertisement and music play



RFID CAMERA TIME ATTENDANCE AND ACCESS CONTROL SYSTEM

Security & Protection

ZKS-T4


Standalone

For Demo only




TCP/IP Environment

For Demo only



Door Access Control

For Demo only





RFID CAMERA TIME ATTENDANCE AND ACCESS CONTROL SYSTEM Security & Protection

ZKS-T4

T4 is the advanced product of ZKS in 2007 that can be used in both Time Attendance and Access Control, even IP Camera applications, but it is not traditional one. The scientific definition is the Multimedia Time&Attendance and Access Control Identification Terminal with simple IP Camera. High identification rate is less than one second; Linux operating system and ARM9 hardware platform; Big 8 inches color LCD, showing personnel image, advertising and notice and so on; Inimitable and fancy design; Particular six kinds of work codes check on work accurate attendance advantageously. It is a kind of ideal product for high end consumption.

Parameters

| | |
|--------------------------------------|--|
| Memory capacity | 60MB (can be extended to 1G by SD card) |
| Period of data | Keep data for 3 years when no current |
| LCD | 8-inch TFT color, 800*600 Pixels |
| Verification mode: | 1: N, 1:1 |
| FAR | <0. 0001% |
| FRR | <0. 01% |
| Response time | <0. 7 second |
| Communication | RS232/ RS485, TCP/IP, U-Disk, Weigand 26/34 and ADSL |
| Card Reader | Mifare one or Proximity Card |
| Distance | 2. 5-10 cm (Mifare one card), 2. 5-15cm (proximity card) |
| Video camera | 1. 3 million pixels, HDTV Color Camera |
| Show | Staff and fingerprint images, time, ID number, Name etc. |
| Working mode | Card, password |
| Languages and voices | English, French, Spanish, Arabic, Farsi, Portuguese and so on. |
| Save function | Automatical dormancy for saving |
| External function (access control) | Connect to external E-lock, external EM/Mifare card reader and indicator light |
| Time Zone, Group, Unlock Combination | Supports 50 time zones, 5 groups and 10 unlock combinations |
| Multimedia functions | Music, slide advertisement, notice etc. |
| Size | 306*210*50mm |
| Weight | 4 kg |
| Color | Silver, Black |
| Power supply | DC12V, 25W, 2A (AC 100V to 240 V, 50 to 60 Hz) |
| Warranty of period | 24 months |
| Temperature and humidity | 0 - 45, 20%-80% |
| Applications | Office, star-hotel, villa, bank, government, top grade community etc. |



Send Message 15 800 6000 15

If you using a mobile phone or dialing from
Dubai, Macau, Istanbul or areas outside China,
please call: (86-21) 6767 9389

www.zksgroup.com

www.zksgroup.com.br

www.zksgroup.es

www.zksgroup.co.uk

www.zksgroup.in

www.zksgroup.com.ar

www.zksgroup.fr

www.zksgroup.com.au

www.zksgroup.com.mx

www.zksgroup.ae

www.zksgroup.de